



**AIRSTREAM
CLASSIC**



T I M E L E S S T R A V E L

➔ FEATURES

- *Exterior design lowers wind resistance - requiring less horsepower and approximately 20% less fuel.*
- *Corian countertops and Moen fixtures are beautiful, durable, and easy to maintain.*
- *Cable TV, phone package and CD player included.*
- *Bedroom doors ensure privacy.*
- *New interior decórs available - Crystal Creek, Willow, Chiffon, and Golden Touch.*

Built with Airstream's attention to detail, the CLASSIC travel trailers allow you to leave home without leaving the comforts of home!

The Classic fully stands up to its reputation as the ultimate travel trailer. Within its generous proportions there is a complete residential-style galley, a full bathroom, a living room and comfortable sleeping accommodations for up to 6 people. The slide-out options provide even more space. On the outside, smartly placed hookups, storage, easy to use awnings, and our exclusive entry step design are just some of the many examples of how Airstream's many years of engineering experience benefit our customers.



AIRSTREAM
SEE MORE DO MORE LIVE MORE



419 West Pike Street, P.O. Box 629, Jackson Center, OH 45334
Telephone: 937-596-6111 www.airstream.com




FLOORPLANS


CLASSIC

2004


CLASSIC 25' with twin or queen bed options




CLASSIC 28' with twin or queen bed options




CLASSIC 30' with twin or queen bed options



CLASSIC 31' with twin or queen bed options




CLASSIC 34' with sofa and lounge options







CLASSIC 30' S/O with twin or queen bed options



CLASSIC 34' S/O DINETTE with twin or queen bed options



CLASSIC 34' S/O LOUNGE with twin or queen bed and credenza options



SPECIFICATION CLASSIC

2004

CLASSIC	34'	31'	30'	28'	25'	INTERIOR	34'	31'	30'	28'	25'
Actual length	34'10"	31'	31'	29'	25'9"	Pleated shades day/night - lounge, dinette & galley	STD	STD	STD	STD	STD
Width exterior	8'5-1/2"	8'5-1/2"	8'5-1/2"	8'5-1/2"	8'5-1/2"	Zip Dee chairs (2) blue	STD	STD	STD	STD	STD
Width interior	8'1"	8'1"	8'1"	8'1"	8'1"	Fiberglass shower w/soap dish & towel bar	STD	STD	STD	STD	STD
Height exterior w/air conditioner	9'7-1/2"	9'7-1/2"	9'7-1/2"	9'7-1/2"	9'7-1/2"	Lift-up bed storage	STD	STD	STD	STD	STD
Height interior w/air conditioner	6'3-1/2"	6'3-1/2"	6'3-1/2"	6'3-1/2"	6'3-1/2"	TV shelf (N/A twin)	STD	STD	STD	STD	STD
Hitch ball height	18-3/4"	18-3/4"	18-3/4"	18-3/4"	18-3/4"	Corian galley top w/back splash & end splash	STD	STD	STD	STD	STD
Safety chain hook 11,700 lb. rating - meets CSA	STD	STD	STD	STD	STD	Porcelain sink w/double bowl & covers	7"deep	6"deep	6"deep	6"deep	6"deep
UBW (Unit Base Weight) w/o options or fluids	8,070	7,880	7,230	6,785	6,050	Pure Touch Classic filtering faucet	STD	STD	STD	STD	STD
+NCC (Net Carrying Capacity) w/o options, personal cargo or fluids	1,730	820	1,470	1,815	1,270	RS credenza w/liftup table	STD	STD	STD	STD	STD
=GVWR (Gross Vehicle Weight Rating)	9,800	8,700	8,700	8,600	7,300	Writing table - laminated w/Zip Dee chair storage	STD	STD	STD	STD	STD
Hitch weight w/o options or variable weight	820	890	730	730	870	Blanket drawer (below lounge)	STD	STD	STD	STD	STD
Axle system	9,600	8,400	8,400	8,400	7,000						
						APPLIANCES					
Aluminum wheels - Alcoa	STD	STD	STD	STD	STD	13,500 A/C w/heat pump & comfort control center (15,000 optional on all models)	STD	STD	STD	STD	STD
Tires, radial, black wall	15"	15"	15"	15"	15"	Furnace w/electronic ignition (BTU)	34,000	34,000	34,000	30,000	25,000
Spare tire & wheel	OPT	OPT	OPT	OPT	OPT	3 burner range w/oven (silver)	STD	STD	STD	STD	N/A
Spare tire bracket	STD	STD	STD	STD	STD	3 burner range w/oven (silver) & regular microwave	OPT	OPT	OPT	N/A	STD
Electric drum brakes	12"	12"	12"	12"	12"	3 burner cook top (silver) & convection microwave	STD	OPT	OPT	N/A	N/A
Electric hitch jack	STD	STD	STD	STD	STD	Bath ceiling vent w/12V fan	STD	STD	STD	STD	STD
Stabilizer jacks w/pads	manual	manual	manual	manual	manual	Fantastic roof vent w/wall thermostat & rain sensor	STD	STD	STD	STD	STD
Aluminum step w/extension	STD	STD	STD	STD	STD	Fantastic roof vent (bedroom) exhaust only	STD	STD	STD	STD	STD
Stainless steel A-frame protectors	STD	STD	STD	STD	STD	8.0 cu. ft. 2-way auto refrigerator (stainless steel)	STD	STD	STD	STD	N/A
						6.0 cu. ft. 2-way auto refrigerator (aluminum insert)	N/A	N/A	N/A	N/A	STD
						10.0 cu. ft. 2-way auto refrigerator w/o icemaker	OPT	OPT	OPT	OPT	N/A
						LPG & smoke detector	STD	STD	STD	STD	STD
						6 gallon gas/electric DSI water heater	STD	STD	STD	STD	STD
						Probeless tank monitoring system	STD	STD	STD	STD	STD
						ENTERTAINMENT & SOUND					
						Antenna (radio) & 4 speakers, mounted & wired	STD	STD	STD	STD	STD
						Sony cassette w/CD changer	STD	STD	STD	STD	STD
						TV antenna & 2 TV jacks w/12V outlet	STD	STD	STD	STD	STD
						Cable TV & telephone package	STD	STD	STD	STD	STD
						Pre-wire for portable satellite dish	STD	STD	STD	STD	STD
						ELECTRICAL					
						Deep cycle battery (regular) Interstate	STD	STD	STD	STD	STD
						2nd battery compartment w/battery	STD	STD	STD	STD	STD
						7-way trailer plug	STD	STD	STD	STD	STD
						50 amp service w/detachable rubber cord	N/A	N/A	N/A	N/A	N/A
						30 amp service w/attached shore cord	STD	STD	STD	STD	STD
						55 amp converter	STD	STD	STD	STD	STD
						12V circuit breakers	STD	STD	STD	STD	STD
						12V fluorescent recessed lighting & RFI ballast	STD	STD	STD	STD	STD
						120V exterior outlet	STD	STD	STD	STD	STD
						Ground fault protection: galley, bath, & exterior outlet	STD	STD	STD	STD	STD
						Exterior step, hitch, dump, compartment & area lights	STD	STD	STD	STD	STD
						Water pump switch in bath & galley	STD	STD	STD	STD	STD
						12V kill switch (batteries)	STD	STD	STD	STD	STD
						Solar battery charger pre-wire	STD	STD	STD	STD	STD
						Phone jack - bedroom/livingroom	STD	STD	STD	STD	STD
						Remote generator ready	OPT	OPT	OPT	OPT	OPT

All these features and more in your new Classic!
 Specifications are subject to change without notice - check with your local Airstream dealer. Canadian specifications will differ from the United States.



SPECIFICATION CLASSIC SLIDEOUT

2004

CLASSIC SLIDEOUT	30'S/O	34'SOFA	34'DINER	INTERIOR	30'S/O	34'SOFA	34'DINER
Actual length	31'	34'10"	34'10"	Pleated shades day/night - lounge, dinette & galley	STD	STD	STD
Width exterior	8'5-1/2"	8'5-1/2"	8'5-1/2"	Zip Dee chairs (2) blue	STD	STD	STD
Width interior	8' 1"	8'1"	8'1"	Fiberglass shower w/soap dish & towel bar	STD	STD	STD
Height exterior w/air conditioner	9'7-1/2"	9'7-1/2"	9'7-1/2"	Lift-up bed storage	STD	STD	STD
Height interior w/air conditioner	6'3-1/2"	6'3-1/2"	6'3-1/2"	TV shelf (N/A twin)	STD	STD	STD
Hitch ball height	19-3/4"	19-3/4"	19-3/4"	Corian galley top w/back splash & end splash	STD	STD	STD
Safety chain hook 11,700 lb. rating - meets CSA	STD	STD	STD	Porcelain sink w/double bowl & covers	6"deep	7"deep	7"deep
UBW (Unit Base Weight) w/o options or fluids	7,877	8,760	9,022	Pure Touch Classic filtering faucet	STD	STD	STD
+NCC (Net Carrying Capacity) w/o options, personal cargo or fluids	1,233	1,740	1,478	Recessed bi-fold range cover	STD	STD	STD
=GWWR (Gross Vehicle Weight Rating)	9,100	10,500	10,500	Breakfast bar w/2 bar stools	N/A	STD	N/A
GCWR (CSA only) (lbs)	10,300	11,500	11,500	RS credenza w/liftup table	N/A	N/A	N/A
Hitch weight w/o options or variable weight	1,125	1,490	1,250	Writing table - laminated w/Zip Dee chair storage	STD	N/A	STD
				Blanket drawer (below lounge)	STD	STD	STD
				Computer station w/pull out file drawers	N/A	STD	N/A
Axle system (lbs)	8,800	10,500	10,500	APPLIANCES			
Axle system (CSA only)	10,000	11,400	11,400	13,500 A/C w/heat pump & comfort control center	STD	STD	STD
Aluminum wheels - Alcoa	STD	STD	STD	15,000 A/C w/heat pump & comfort control center	OPT	OPT	OPT
Tires, radial, black wall	15"	15"	15"	Furnace w/electronic ignition (BTU)	34,000	34,000	34,000
Spare tire & wheel	OPT	OPT	OPT	Fireplace - eliminates drawers in computer cabinet	N/A	OPT	N/A
Spare tire bracket	STD	STD	STD	3 burner range w/oven (silver)	N/A	N/A	N/A
Electric drum brakes	12"	12"	12"	3 burner range w/oven (silver) & regular microwave	OPT	OPT	OPT
Electric hitch jack	STD	STD	STD	3 burner cook top (silver) & convection microwave	STD	STD	STD
Stabilizer jacks w/pads	electric	electric	electric	Bath ceiling vent w/12V fan	STD	STD	STD
Aluminum step w/extension	STD	STD	STD	Fantastic roof vent w/wall thermostat & rain sensor	STD	STD	STD
Stainless steel A-frame protectors	STD	STD	STD	8.0 cu. ft. 2-way auto refrigerator (stainless steel)	STD	STD	STD
				6.0 cu. ft. 2-way auto refrigerator (aluminum insert)	N/A	N/A	N/A
				10.0 cu. ft. 2-way auto refrigerator w/o icemaker	OPT	OPT	OPT
				LPG & smoke detector	STD	STD	STD
				6 gallon gas/electric DSI water heater	STD	STD	STD
				Probeless tank monitoring system	STD	STD	STD
				ENTERTAINMENT & SOUND			
				Antenna (radio) & 4 speakers, mounted & wired	STD	STD	STD
				Sony CD player	STD	STD	STD
				TV antenna & 2 TV jacks w/12V outlet	STD	STD	STD
				Hi-fi stereo VCR	N/A	OPT	N/A
				Sony DVD surround sound system w/sub woofer	N/A	STD	N/A
				Cable TV & telephone package	STD	STD	STD
				Pre-wire for portable satellite dish	STD	STD	STD
				10 disc CD changer	OPT	OPT	OPT
				ELECTRICAL			
				Deep cycle battery (regular) Interstate	STD	STD	STD
				2nd battery compartment w/battery	STD	STD	STD
				7-way trailer plug	STD	STD	STD
				50 amp service w/detachable rubber cord	N/A	STD	STD
				30 amp service w/attached shore cord	STD	N/A	N/A
				55 amp converter	STD	STD	STD
				12V circuit breakers	STD	STD	STD
				12V fluorescent recessed lighting & RFI ballast	STD	STD	STD
				120V exterior outlet	STD	STD	STD
				Ground fault protection: galley/bath/exterior outlet	STD	STD	STD
				Exterior step/hitch/dump/compartments /area lights	STD	STD	STD
				Water pump switch in bath & galley	STD	STD	STD
				12V kill switch (batteries)	STD	STD	STD
				Solar battery charger pre-wire	STD	STD	STD
				Phone jack - bedroom/livingroom	STD	STD	STD
				Remote generator ready	OPT	N/A	N/A

All these features and more in your new Classic!
 Specifications are subject to change without notice - check with your local Airstream dealer. Canadian specifications will differ from the United States.

